

Makita

Angle Grinder

GA4030 100mm (4") / GA4530 115mm (4-1/2") / GA5030 125mm (5")

Satisfy Professional's Needs

SLIM and DURABLE



Ergonomically best possible gripping

achieved by the ingenious design of motor housing, rear cover and side grip:

- 1 Slim motor housing with a small circumference of 179mm
- 2 Motor housing and rear cover ergonomically and uniquely ribbed for sure and comfortable gripping
- 3 Rear cover ergonomically tapered for easy gripping
- 4 Ergonomic 20° side grip angle



The angle of side grip to gear housing has been increased from conventional 10° for easier handling.

Anti-vibration grip (Optional accessory)




Small gear housing

Angle grinder

- GA4030 100mm (4")
- GA4530 115mm (4-1/2")
- GA5030 125mm (5")

Extra-high reliability and durability

- 1 High quality motor with excellent heat-resistance
- 2 Reliable machined bevel gears
- 3 Protection against dust
 - Dust-proof ball bearings
 - Motor field coated with protective powder varnish
 - Two Labyrinth rings seal the ball bearings and entirely protect the gears and the motor from dust and dirt.



Powder varnish



Slide switch conveniently located for one hand operation

Toolless wheel cover



Photo: GA4530

Angle Grinder

GA4030 100mm (4")/ GA4530 115mm (4-1/2")/ GA5030 125mm (5")

459

 Double Insulation



Continuous rating Input

Capacity Depressed center wheel :

No load speed (rpm)

Dimensions

(L x W x H)

***Net weight**

Power supply cord

Standard Equipment

Depressed Centre Wheel, Lock Nut Wrench, Side grip

GA4030
720W
100mm (4")
11,000
266 x 117 x 95mm
(10-1/2" x 4-5/8" x 3-3/4")
1.7kg (3.7lbs)
2.5m (8.2ft)

GA4530
720W
115mm (4-1/2")
11,000
266 x 128 x 103mm
(10-1/2" x 5" x 4-1/16")
1.8kg (4.0lbs)
2.5m (8.2ft)

GA5030
720W
125mm (5")
11,000
266 x 138 x 103mm
(10-1/2" x 5-7/16" x 4-1/16")
1.8kg (4.0lbs)
2.5m (8.2ft)

*weight according to EPTA-Procedure 01/2003, including Wheel cover, Inner flange, Lock nut, Side grip; without Power supply cord

Optional Accessories:-



Type	Part No.
For Model GA4030	-
Toolless	135238-9
For Model GA4530	-
Toolless	135245-2
For Model GA5030	-
Toolless	135240-2
Toolless	135242-8



For Model	Part No.
GA5030	135270-3



For Model	Part No.
GA4030	192454-6
GA5030	193066-8



For Model	Part No.
GA4030	192412-2



Dust collecting wheel guard
(For dust collection)
*Economy type


Type	Part No.
For Model GA4030	-
A	192475-8
For Model GA4530, GA5030	-
A	192518-2
B (NW joint)	192972-4
B (NW joint)	192968-5
B (NW joint)	193794-5



Type	Part No.
Stick	-
Stick (short type)	153506-2
Stick	153489-2
Anti Vibration Grip	194514-0



Spindle thread	Part No.
For Model GA4030	-
M10 x 1.5	224502-4
For Model GA4530, GA5030	-
M14 x 2 (DIN)	224519-5
5/8"	224517-1
M16 x 2	224523-6



Rubber pad (For abrasive disc)
A: For spindle thread M14 x 2 (DIN) 5/8"
B: For spindle thread M16 x 2

Outer dia (mm)	Type	Part No.
For Model GA4030	-	743009-6
For Model GA4530	A	794167-5
100	B	743036-3
For Model GA5030	-	743015-1
115	-	743015-1

