



TAPARIA TOOLS LTD.

AN ISO-9001 COMPANY



SOCKET SET

SOCKET SET 12.7 MM (1/2") SQUARE DRIVE REGULAR & EXEL

Consists of Selected Sockets and Accessories, neatly packed in attractive powder coated carrying case.




PRODUCT NO.				CONTENTS
REGULAR		EXEL		
Bihexagonal Socket sets	Hexagonal Socket sets	Bihexagonal Socket sets	Hexagonal Socket sets	
S-11 M (MM)	S-11 H (MM)	S-11 M/XL	S-11 HXL	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22
(22 Sockets +		(22 Sockets +		23, 24, 26, 27, 28, 29, 30, 32, 33 & 34
5 Accessories)		5 Accessories)		Accessories - Reversible Ratchet 1715
				Extension Bar 1753, Extension Bar 1763,
				Universal Joint 1773, T-Handle 1733,
S-14 M (MM)	S-14 H (MM)	S-14 MXL	S-14 HXL	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19,
(22 Sockets +		(22 Sockets +		21, 22, 23, 24, 26, 27, 28, 29, 30 & 32
5 Accessories)		5 Accessories)		Accessories - Reversible Ratchet 1715
				Extension Bar 1753, Extension Bar 1763,
				Universal Joint 1773, T-Handle 1733,
S-15 M (MM)	S-15 H (MM)	S-15 MXL	S-15 HXL	11, 12, 13, 14, 15, 16, 17, 18, 19, 21,
(19 Sockets +		(19 Sockets +		22, 23, 24, 26, 27, 28, 29, 30 & 32
5 Accessories)		5 Accessories)		Accessories - 1753, 1763, 1773, 1733,
				1715, 1783,
S-16 M (MM)	S-16 M (MM)	S-16 MXL	S-16 HXL	11, 12, 13, 14, 15, 16, 17, 18, 19, 21,
(19 Sockets +		(19 Sockets +		22, 23, 24, 26, 27, 28, 29, 30 & 32
6 Accessories)		6 Accessories)		Accessories - 1753, 1763, 1773, 1733
				1715, 1783, Handle 1734
S-22 M (MM)	S-22 H (MM)	S-22 HXL	S-22 HXL	10, 11, 13, 14, 17, 19, 22, 24, 27, 30 & 32
(11 Sockets +		(11 Sockets +		Accessories - Ext.Bar 1753, Ext.Bar 1763,
4 Accessories)		4 Accessories)		Flexible Handle 1703, Reversible Ratchet 1715
S-23 M (MM)	S-23 M (MM)	S-23 MXL	S-23 HXL	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19,
(14 Sockets +		(14 Sockets +		21 & 22
4 Accessories)		4 Accessories)		Accessories - Ext.Bar 1753, Ext.Bar 1763,
				Offset Handle 1734, T-Handle 1733S
		S-31 MXL	S-31 HXL	11, 14, 17, 19, 22 & 24
		(6 Sockets + 1 Accessory)		Angle Handle 1734

SOCKETS

Hot upset forged high grade chrome vanadium steel to ensure highest quality. Available with 12.7 mm (1/2") square drive with 12 cornered Bihexagonal Pattern and 6 cornered Hexagonal Pattern for Impact application. Also available with 19mm (3/4) square drive with 12 cornered Bihexagonal pattern.

Thoroughly corrosion protected with Bright Nickel Chrome finish Heat treated to give torque ratings far above prescribed ratings.





1/2 DRIVE BIHEXAGONAL AND HEXAGONAL SOCKETS

PROD. NO.	FIG. NO.	A	B	C	ØD	ØE	A/F	WEIGHT GRAMS
8	1	36	20	16	12.0	22	8	45
9	1	36	20	16	13.0	22	9	45
10	1	36	20	16	16.0	22	10	45

11	1	36	20	16	17.5	22	11	48
12	1	36	20	16	18.7	22	12	50
13	1	36	20	16	20.0	22	13	52
14	1	36	20	16	21.3	22	14	52

15	2	38	-	-	22.5	-	15	52
16	2	38	-	-	23.5	-	16	52
17	2	38	-	-	25.0	-	17	75
18	2	38	-	-	25.5	-	18	70

19	2	40	-	-	27.5	-	19	90
21	2	40	-	-	28.9	-	21	104
22	2	40	-	-	31.0	-	22	125
23	2	43	-	-	31.3	-	23	120

24	3	43	18	25	32.5	30	24	130
26	3	43	18	25	35.2	30	26	140
27	3	46	18	25	36.4	30	27	150
28	3	46	18	28	37.7	30	28	165

29	3	46	18	28	38.9	30	29	165
30	3	46	18	28	40.4	30	30	185
32	3	46	17	29	42.7	30	32	195
33	3	46	17	29	43.9	30	33	195
34	3	46	17	29	45.2	30	34	190

Heavy Duty Hexagonal SOCKETS

PROD. NO.	FIG. NO.	A	B	C	ØD	ØE	A/F	WEIGHT GRAMS
HD 10	1	36	20	16	17.0	22.5	10	55
HD 11	1	36	20	16	18.5	22.5	11	60
HD 13	1	38	21	17	21.2	24.0	13	80

HD 14	1	38	21	17	22.5	24.0	14	80
HD 17	2	38	-	-	26.5	-	17	85
HD 19	2	38	-	-	29.3	-	19	120
HD 22	2	38	-	-	33.3	-	22	170

LD 18	2	80	-	-	26.5	-	18	165
LD 24	4	80	25	55	34.3	31.5	24	280
EL 10	-	150	18	15	16.0	23.0	10	174

SOCKETS 12.7 mm (1/2") SQUARE DRIVE

PROD. NO.	FIG. NO.	A	B	C	ØD	ØE	A/F	WEIGHT GRAMS
SP 16	1	36	20	16	14.0	22.5	8	55
SP 21	1	36	20	16	15.0	22.5	9	50

EXEL SOCKETS - 12.7 MM (1/2") SQUARE DRIVE

PROD. NO.	FIG. NO.	A	B	C	ØD	ØE	A/F	WEIGHT GRAMS
FD 8	1	36	20	16.5	13.5	22	8	50
FD 9	1	36	20	16.5	14.5	22	9	50
FD 10	1	36	20	16.5	15.7	22	10	50
FD 11	1	38	21.5	16.5	16.7	22	11	50

FD 12	1	38	21.5	16.5	17.8	22	12	50
FD 13	1	38	21.5	16.5	19.0	22	13	50
FD 14	1	38	21.5	16.5	20.2	22	14	50
FD 15	1	38	21.5	16.5	21.0	22	15	50

FD 16	3	38	16	22	21.8	20.5	16	50
FD 17	3	38	16	22	23.8	22	17	60
FD 18	3	38	16	22	25.8	22	18	80
FD 19	3	38	16	22	25.8	22	19	70

FD 20	3	38	16	22	27.8	25	20	80
FD 21	3	38	16	22	28.0	25	21	70
FD 22	3	38	16	22	29.8	26	22	90
FD 23	3	38	16	22	31.8	28	23	115
FD 24	3	38	16	22	31.8	28	24	105

FD 25	3	40	17	23	33.7	30	25	125
FD 26	3	42	17	25	35.5	31	26	158
FD 27	3	42	17	25	35.8	32	27	158
FD 28	3	44	17	27	37.6	33	28	188

FD 29	3	44	17	27	38.0	33	29	180
FD 30	3	44	16	28	39.5	34	30	200
FD 32	3	44	16	28	41.5	36	32	225

IMPACT SOCKET - HEXAGONAL 12.7 MM (1/2") SQ. DRIVE

PROD. NO.	FIG. NO.	A	B	C	ØD	ØE	A/F	WEIGHT GRAMS
IM 8	1	36	21	15	13.5	25	8	60
IM 9	1	36	21	15	14.5	25	9	65
IM 10	1	36	21	15	17	25	10	65
IM 11	1	38	21	15	18.5	25	11	65

IM 12	1	36	21	15	20	25	12	65
IM 13	1	36	21	15	21.5	25	13	75
IM 14	1	36	21	15	22.5	25	14	70
IM 15	1	36	21	15	24.0	25	15	80


IM 16	2	38	21	15	25.0	25	16	80
IM 17	2	38	21	15	26.5	26.5	17	95
IM 18	2	38	21	15	28.0	28	18	105
IM 19	2	38	21	15	30.0	30	19	120

IM 20	3	40	17	23	31.0	30	20	80
IM 21	3	40	17	23	32.0	30	21	95
IM 22	3	40	17	23	33.5	30	22	105
IM 23	3	40	18	25	35.0	30	23	120

IM 24	3	43	18	25	36.0	30	24	170
IM 26	3	43	18	25	38.9	30	26	175
IM 27	3	43	18	25	40.0	30	27	180
IM 28	3	46	19	27	41.5	30	28	200

IM 29	3	46	19	27	42.5	30	29	215
IM 30	3	46	19	27	44.0	30	30	220
IM 31	3	46	19	27	44.5	30	31	225
IM 32	3	46	19	27	46.5	30	32	245

DEEP SOCKETS 1/2" SQUARE DRIVE



PROD. NO	FIG NO.	A	B	C	ØD	ØE	A/F	WEIGHT GRAMS
L8H	1	76	42	34	14	22	8	110
L10H	1	76	42	34	16	22	10	110
L11H	1	76	42	34	17	22	11	110
L12H	1	76	42	34	18	22	12	110

L13H	1	76	42	34	19	22	13	115
L14H	1	76	42	34	20.5	22	14	120
L15H	3	76	30	46	22	22	15	120
L16H	3	76	30	46	22	22	16	110

L17H	3	76	30	46	24	22	17	130
L18H	3	76	30	46	26	24	18	160
L19H	3	76	30	46	26	24	19	150
L20H	3	76	30	46	28	25	20	175

L21H	3	76	30	46	28	25	21	165
L22H	3	76	30	46	30	26	22	195
L24H	3	76	30	46	32	28	24	215
L27H	3	76	30	46	36	32	27	280
L30H	3	76	30	46	40	28	34	350

SOCKET SET (3/4" SQUARE DRIVE)

PROD. NO	CONTENTS
Bihexagonal Socket sets S-3/4 BH	Hexagonal Socket sets S-3/4 H
(10 Sockets + 4Accessories)	22, 24, 27, 30, 32, 36, 38, 41, 46, & 50 Accessories : Extension Bar 2753, Extension Bar 2763, T-Handle 2733, Ratchet Handle with Coupler 2715.



3/4 SQ. DRIVE SOCKETS




FIG. NO. 1

FIG. NO. 2

FIG. NO. 3



PROD. NO	FIG NO.	A	B	C	ØD	ØE	A/F	WEIGHT GRAMS
C 19	1	50	28	22	29.0	36	19	200
C 21	1	50	28	22	31.0	36	19	200
C 22	1	50	30	20	33.0	36	22	215
C 24	1	50	30	20	35.0	36	24	210


C 26	3	52	22	30	36.0	35	26	215
C 27	2	51.5	-	-	38.0	-	27	220
C 28	3	52	21	31	40.0	36	28	235
C 29	3	52	21	31	40.0	38	29	240

C 30	3	54	21	33	42.0	38	30	265
C 32	3	56	21	35	44.0	38	32	300
C 33	3	56	23	33	46.0	38	33	315
C 34	3	58	22	36	46.0	38	34	320

C 35	3	58	22	36	48.0	42	35	380
C 36	3	58	20	38	50.0	42	36	395
C 38	3	60	20	40	52.0	45	38	450
C 41	3	64	24	40	56.0	45	41	535

C 42	3	64	22	42	58.0	45	42	590
C 46	3	68	21	47	62.0	48	246	685
C 50	3	72	24	48	68.0	48	50	800
C 55	3	76	26	48	74.0	48	55	955

C 60	3	78	30	48	78.0	48	60	910
C 65	3	85	30	55	86.0	48	65	1570
C 70	3	85	30	55	91.0	48	70	1680



BI-HEXAGONAL SOCKET SET (1" SQUARE DRIVE)


PROD. NO.	CONTENTS
S1BH	Socket ; 36 mm, 41 mm, 46 mm, 50 mm, 55 mm,
(10 Sockets &	60mm, 65 mm, 70 mm, 75 mm & 80 mm
4 Accessories)	Accessories - 3715, 3733, 3753, 3763

SOCKET 1" SQ. DRIVE

PROD. NO.	FIG NO.	A	B	C	ØD	ØE	A/F	WT. GMS
D 36	3	60	20	40	50	46	36	400
D 38	3	65	22	43	54	46	38	520
D 41	3	65	25	40	54	46	46	520

D 46	3	75	26	49	65	50	46	830
D 50	3	75	26	49	69	56	50	1050
D 55	3	80	28	52	75	56	55	1200
D 60	3	84	30	54	81	56	60	1350

D 65	3	88	30	58	87	56	65	1550
D 70	3	94	30	64	93	68	70	2100
D 75	3	98	34	64	99	68	75	2500
D 80	3	103	34	69	105	68	80	2600



SOCKET SET




Consists of selected sockets and accessories, neatly packed in attractive powder coated carrying case.

SOCKET SET 1/4 SQ. DRIVE

PROD. NO.	CONTENTS
S 1/4 H	Sockets - 4, 4.5, 5, 5.5, 6, 7, 8, 10, 11, 12, 13, 14.
(17 Sockets +	Adaptor - Hex 1/4 x SQ. 1/4
6 Accessories)	Adaptor Torx - T20, T 25, T30, T40
	Accessories - A 733 - T- Handle, A 743 - Extn.Bar,
	A 753 - Extn.Bar, A 773 - Universal Joint,
	A 703 - Nut spinner Flexible, A 715 - Ratchet Handle

SOCKET 1/4 SQ. DRIVE


PROD. NO	FIG NO.	A	B	C	ØD	ØE	A/F	WT. GMS
A 4 H	1	25	13	12	6.8	12	4	10
A 4.5 H	1	25	13	12	7.3	12	4.5	10
A 5 H	1	25	13	12	8.0	12	5	10
A 5.5 H	1	25	13	12	8.5	12	5.5	10
A 6 H	1	25	13	12	9.0	12	6	10
A 7 H	1	25	13	12	10.5	12	7	10
A 8 H	1	25	13	12	11.7	11	8	10
A 10 H	3	25	11	14	14	12	10	10
A 11 H	3	25	11	14	16	14	11	20
A 12 H	3	25	11	14	17	15	12	20
A 13 H	3	25	11	14	18	16	13	25



SOCKET SET 3/8 SQ. DRIVE

PROD. NO.	CONTENTS
S 3/8 H	Sockets - 6, 7, 8, 9, 10, 11, 12, 13, 14, 17, 19, 21, 22
(14 Sockets +	Spark Plug Socket - BSP 21
6 Accessories)	Accessories - B 733 - T- Handle, B 743 - Extn.Bar,
	B 753 - Extn.Bar, B 773 - Universal Joint,
	B 703 - Nut spinner Flexible, B 715 - Ratchet Handle

SOCKET 3/8 SQ. DRIVE



PROD. NO.	FIG. NO.	A	B	C	ØD	ØE	A/F	WEIGHT GRAMS	STD. PKG.
B 6 H	1	28	16	12	10.3	17	6	25	5
B 7 H	1	28	16	12	11	17	7	25	5

B 8 H	1	28	16	12	12	17	8	25	5
B 9 H	1	28	16	12	13.3	17	9	25	5
B 10 H	1	28	16	12	14.5	17	10	25	5


B 11 H	3	28	16	12	16	17	11	25	5
B 12 H	3	28	12	16	17	15.5	12	25	5
B 13 H	3	28	12	16	17.8	16.5	13	25	5
B 14 H	3	28	12	16	19.7	17	14	25	5

B 17 H	3	30	12	18	23.7	20	17	45	5
B 19 H	3	30	12	18	26	23	19	60	5
B 21 H	3	30	12	18	28	25	21	70	5
B 22 H	3	30	12	18	29.7	26	22	80	5


SOCKET ACCESSORIES

T-HANDLE

SIZE	PROD. NO.	A/F	L	ØD	ØE	ØF	WT. GMS
1/4 Drive	A 733	6.30	115	14	8.0	6.0	45
3/8 Drive	B 733	9.50	200	19	12.6	10.5	75
1/2 Drive	1733-S	12.7	250	27	16.6	13	345
3/8 Drive	1733	12.7	300	27	16.6	13	400
3/4 Drive	2733	19	500	38	24.5	18	1220
1 Drive	3733	25	630	49	33.8	25	2970



EXTENSION BAR




SIZE	PROD. NO.	L	ØA	ØB	ØD	SQ.(1)	SQ.(2)	WT. GMS
1/4 Drive	A 743	50	12	-	8.0	6.40	6.30	25
	A 753	100	12	-	8.0	6.40	6.30	45
3/8 Drive	B 743	76	18	-	12.0	9.60	9.50	75
	B 753	152	18	-	12.0	9.60	9.50	140

1/2 Drive	1713	50	22	-	12.8	12.8	12.8	85
	1743	75	22	-	12.8	12.8	12.8	110
	1753	125	22	-	12.8	12.8	12.8	150
	1763	255	22	-	12.8	12.8	12.8	290

3/4 Drive	2753	255	35	-	19.1	19.1	19.1	700
	2763	385	35	-	19.1	19.1	19.1	980
1 Drive	3753	20	48	-	29.0	25.2	25.8	1320
	3763	400	48	-	29.0	25.2	25.8	2410


RATCHET HANDLE

R-HANDLE	PROD. NO.	FIG. NO.	A	B	L	WT. GMS
1/4 Drive	A 715	1	12	27	160	135
3/8 Drive	B 715	1	13	27	215	340
1/2 Drive	1715	2	18	35	255	480
	1715 N	2	16	46	260	550
3/4 Drive	2715 With Sq. Coupler	-	30	65	500	2040
1" Drive	3715 R-H	1	32	69	-	-
	T-BAR	2	Ø28	-	562	2680




FLEXIBLE HANDLE

SIZE	PROD. NO.	FIG NO.	A	B	L	WT. GMS
1/4 Drive	A 703	2	11	16.5	145	115
3/8 Drive	B 703	2	15	22	225	215
1/2 Drive	1703	1	20	25	250	390




UNIVERSAL JOINT

SIZE	PRODUCT NO	FIG NO.	A	B	L	WEIGHT GRAMS
1/4 Drive	A 773	3	14	14	39	25
3/8 Drive	B 773	3	19	19	55	65
1/2 Drive	1773	3	25	22	74	160
3/4 Drive	2273	3	40	40	108	560




ANGLE HANDLE

PROD. NO.	L1	L2	ØA	ØB	SQ	WEIGHT GRAMS
1734/1734N	189	56	---	16	12.7	320
1735	250	60	---	16	12.7	430
1736	300	75	---	16	12.7	525
1737	450	120	---	16	12.7	835




SPEEDER BRACE

PROD. NO.	ØD1	ØD2	L	L1	SQ	WEIGHT GRAMS
1783	13	22	397	146	12.7	760



3/4 - SQUARE DRIVE

PROD. NO.	SQ	L	WEIGHT GRAMS
2716	19.5	52	150



TAPARIA TOOLS LTD.



Head Office : 423 / 424, A-2, Shah & Nahar, Lower Parel (W), Mumbai - 400 013. & : 2493 8646 - 50
Fax : 91-22-2495 3230. • **E-mail :** sales@tapariatools.com • **Web Site :** http://www.tapariatools.com
Works : 52-B, M. I. D. C., Satpur, Nashik - 422 007. & : 2350 317 / 318 / 418 • **Fax :** 0253-2350740

An ISO-9001 Company



TAPARIA® TAPARIA® TAPARIA® TAPARIA® TAPARIA®